

ATLATERASOL-P 10%

ORAL POWDER

COMPOSITION

DL-Tetramisole (sf hydrochloride)	.10.00 g
Excipient qs	

PHARMACEUTICAL PROPERTIES

An anthelmintic from the imidazothiazole family with great activity on the larval and adult forms of gastrointestinal and pulmonary strongles. The mode of action of Tetramisole is linked to muscle paralysis of the parasites. Tetramisole is well absorbed orally, it diffuses well in all tissues which allows it to reach pulmonary nematodes and forms in hypobiosis. Tetramisole is quickly metabolized by the liver and eliminated via the urine and bile.

TARGET SPECIES

Sheep and goats.

INDICATIONS

Treatment of gastrointestinal and pulmonary strongyloses.

ADMINISTRATION AND DOSAGE

Oral use in drinking water or food in single doses of: 15 mg DL-Tetramisole / kg or 1.77 g powder / 10 kg bodyweight. NB: Calculate the daily food or water ration and incorporate the medication

CONTRAINDICATIONS AND INTERACTIONS

Do not use in dairy females whose milk is intended for human consumption. Do not use in equines. Do not combine with organophosphates and any other substance that inhibits neuromuscular transmission.

SIDE EFFECTS

If the doses are respected, no side effects are observed in the target species. If signs of intoxication are observed, however, atropine is the first choice antidote for tetramisole.



PRECAUTIONS FOR USE

- This soluble powder for oral preparation is intended to be dissolved in liquid food or water and cannot be used as it is.
- Respect the dose in dehydrated animals.
- Avoid handling this product in case of allergy.
- Handle this product taking precautions to avoid any risk of exposure.
- Avoid breathing dust and avoid contact with skin and eyes.
- Keep the product out of the reach of children.

WITHDRAWAL PERIOD

Meat and offal: 7 days.

STORAGE CONDITIONS

Keep the product in the original packaging, protect from light and at a temperature ≤ 25 ° C.

PRESENTATION

S 100 g sachets, 500 g and 1 kg jars.